




CATALOGUE AP

ACCESSORIES - SPARE PARTS

INDUSTRIAL VACUUM CLEANERS





INDEX

Hose fittings	5	Brushes replacements	30
Hose reducers	6	Cyclonic deflectors.....	31
Hose junctions.....	7	Grates and valves	31
Hose extenders	7	Disposal bag vacuum balance systems.....	32
Bifurcations and trifurcations.....	8	Swarf baskets	32
Other hose fittings	10	Baskets for vacuuming performances	33
Other reducers	11	Preseparators	34
Other extensions	11	Preseparator lids	42
Air exhaust hose fittings	12	Dust bins.....	44
Quick connections	13	Dust bin accessories	48
Hoses and sleeves	14	Single phase vacuum units and related spare parts.....	49
Hose clamps	18	Primary star filters	50
Hose supports	18	Primary bag filters	52
Handgrips.....	19	Filter rings	54
Extensions	20	Filter gaskets	55
Scrapping and probe nozzles	21	Filter clamps	55
Floor nozzles	22	Primary cartridge filters	57
Floor nozzles replacements	23	Absolute filter replacement cartridges	58
Rubber and silicone cones	24	Upstream absolute filter fitting accessories	59
Rubber and silicone suction nozzles	24	Upstream absolute filter kits	60
Rubber and silicone bent nozzles	25	Vacuum dust extraction arm with hood	61
Flat crevices	26	Endless bag replacements	63
Brushes	28	Paper bag replacements	63



LEGENDA



Accessories



Spare parts



Description



Item number



Food grade
EC: EU normative
FDA: US normative



Conductive (ATEX advised)

L


Length in millimeters

Ø


Diameter in millimeters

P


Position




	“ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel hose fitting	1		40 50 70 100	900040 900041 900042 900043
	AISI 304 stainless steel hose fitting	2	X	40 50 70 100	900044 900045 900046 900047
	Sealed and zinc finish hose fitting	3		70 100 125	900073 900074 900076
	Zinc finish with 90° elbow hose fitting	4		50 70 100	900056 900058 900190
	AISI 304 stainless steel with 90° elbow hose fitting	5	X	50 70 100	900057 900059 900121
	Zinc finish steel hose fitting with air inlet adjustment	6		40 50 70 100	900048 900049 900050 900051
	AISI 304 stainless steel hose fitting with air inlet adjustment	7	X	40 50 70 100	900052 900053 900054 900055




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel hose fitting reducer	8		50/40 70/40 70/50 100/50 100/70	900003 900004 900005 900007 900008
	AISI 304 stainless steel hose fitting reducer	9	X	50/40 70/40 70/50 100/50 100/70	900010 900011 900012 900013 900014
	Sealed zinc finish reducer	10		100/76	900304
	Zinc finish reducer with 90° elbow hose fitting	11		50/40 70/50 70/63 100/70	900081 900061 900186 900151
	AISI 304 stainless steel reducer with 90° elbow hose fitting	12	X	50/40 70/50 70/63 100/70	900271 900273 900274 900275
	Zinc finish steel hose fitting reducer with air inlet adjustment	13		50/40 70/40 70/50 100/50 100/70	900018 900019 900020 900022 900023
	AISI 304 stainless steel hose fitting reducer with air inlet adjustment	14	X	50/40 70/40 70/50 100/50 100/70	900025 900026 900027 900028 900029




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel hose junction	15		40 50 70 100	900062 900063 900064 900065
	<i>AISI 304 stainless steel hose junction</i>	16		40 50 70 100	900067 900068 900069 900070
	Zinc finish steel hose extender	17		40/50	900188
	<i>AISI 304 stainless steel hose extender</i>	18	X	40/50	900215




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel bifurcation	19		40/40/40 50/50/50 70/70/70 100/100/100	900084 900086 900090 900097
	AISI 304 stainless steel bifurcation	20	X	40/40/40 50/50/50 70/70/70 100/100/100	900103 900104 900105 900106
	Zinc finish steel bifurcation with air inlet adjustment	21		50/50/50 70/70/70 100/100/100	900201 900202 900203
	AISI 304 stainless steel bifurcation with air inlet adjustment	22	X	50/50/50 70/70/70 100/100/100	900207 900208 900209
	Zinc finish steel bifurcation with air inlet adjustment	23		70/70	900291
	Zinc finish steel trifurcation	24		70/40/40/40	900224
	AISI 304 stainless steel trifurcation	25	X	70/40/40/40	900264




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel bifurcation with reducer	26		50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900085 900088 900089 900095 900096
	AISI 304 stainless steel bifurcation with reducer	27	X	50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900107 900108 900109 900110 900111
	Zinc finish steel bifurcation with reducer and air inlet adjustment	28		50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900102 900101 900100 900098 900099
	AISI 304 stainless steel bifurcation with reducer and air inlet adjustment	29	X	50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900214 900213 900212 900210 900211
	Zinc finish steel bifurcation with reducer and air inlet adjustment	30		100/70	900294




	“ ”	P	Ex	Ø (mm)	523495761
	Zinc finish drum cap filler	31		2"/50/40	900123
	Zinc finish steel bent hose fitting	32		40 50 70	900112 900113 900114
	<i>AISI 304 stainless steel bent hose fitting</i>	33	X	40 50 70	900115 900116 900117
	Zinc finish steel bent hose reducer fitting	34		50/40 70/50	900147 900148
	<i>AISI 304 stainless steel bent hose reducer fitting</i>	35	X	50/40 70/50	900149 900150




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel reducer for bent nozzles pos. 107, 108 or 109	36		50/32	900174
	AISI 304 stainless steel reducer for bent nozzles pos. 107, 108 or 109	37	X	40/32 50/32	900182 900135
	Zinc finish steel reducer for rubber flat crevice pos. 118 or 119	38		50/44	900168
	AISI 304 stainless steel reducer for rubber flat crevice pos. 118 or 119	39	X	50/44	900181
	Zinc finish steel extension for rubber flat crevice pos. 118 or 119	40		40/44	900167
	AISI 304 stainless steel extension for rubber flat crevice pos. 118 or 119	41	X	40/44	900238




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Zinc finish air exhaust hose fitting outlet	42		60/50 80/70 100/70 150/100	120277 120278 120279 120280
	AISI 304 stainless steel air exhaust hose fitting outlet	43		100/70	120283
	Zinc finish air exhaust hose fitting outlet for KC	44		150/70	160442
	AISI 304 stainless steel air exhaust hose fitting outlet for KC	45		150/70	160484




	“ ”	P	Ex	Ø (mm)	523495761
	Zinc finish quick connection	46		40	900122
				50	900124
	<i>AISI 304 stainless steel quick connection</i>	47	X	40	900128
				50	900129
	Zinc finish quick connection	48		70	900126
				70	900130




	“≡”	P	↻ ↻	T (°C)		Ex	EC	FDA	L	Ø (mm)	523495761
				min	max						
	“Flex” hose, per meter (TF0001)	50	↻	-30	+60					40	910042
			↻							50	910043
	“Flex” hose roll, per meter (TF0001)	51	↻	-30	-60				30 m	40	910042R
			↻						30 m	50	910043R
	Rubber junction sleeve for conductive hose	52	↻			X				40	910007
			↻							50	910008
	Conductive EVA hose, per meter (TF0002)	53	↻	-20	+60	X				40	910044
			↻							50	910045
	Conductive EVA hose roll, per meter (TF0002)	54	↻	-20	+60	X			30 m	40	910044R
			↻						30 m	50	910045R
	Rubber junction sleeve for conductive hose	55	↻			X				40	910007
			↻							50	910008




		P		T (°C)				L	Ø (mm)	 523495761	
				min	max		EC	FDA			
	“Air” hose, per meter (TF0003)	56		-10	+60				40	910049	
									50	910050	
									70	910051	
									100	910052	
	“Air” hose roll, per meter (TF0003)	57		-10	+60				50 m	40	910049R
									50 m	50	910050R
									50 m	70	910051R
									50 m	100	910252R
	Antistatic and oil proof rubber sleeve for “Air” hose	58							40	910015	
									50	910016	
									70	910017	
	Polyurethane hose, per meter (TF0005)	59		-25	+90 ... +125		X	X		40	910082
									50	910083	
									70	910084	
									100	910085	
	Polyurethane hose roll, per meter (TF0005)	60		-25	+90 ... +125		X	X	20 m	40	910082R
									20 m	50	910083R
									20 m	70	910084R
									30 m	100	910285R
	Antistatic and oil proof rubber sleeve for polyurethane hose	61							40	910018	
									50	910019	
									70	910020	
	Silicone junction sleeve for polyurethane hose	62					X	X		40	910025
									50	910026	
									70	910027	




	“≡”	P		T (°C)				L	Ø (mm)	 523495761
				min	max		EC	FDA		
	Light Polyurethane hose, per meter (TF0004)	63		-25	+85		X	X	40	910072
									50	910073
									70	910074
	Light Polyurethane hose roll, per meter (TF0004)	64		-25	+85		X	X	20 m 40	910072R
									20 m 50	910073R
									20 m 70	910074R
	Antistatic and oil proof rubber sleeve for light polyurethane hose	65							40	910015
									50	910016
									70	910017
	Conductive polyurethane hose, per meter (TF0006)	66		-30	+90	X			40	910089
									50	910090
									70	910091
									100	910192
	Conductive polyurethane hose roll, per meter (TF0006)	67		-30	+90	X			20 m 40	910089R
									20 m 50	910090R
									20 m 70	910091R
									10 m 100	910192R
	Antistatic and oil proof rubber sleeve for conductive polyurethane hose	68				X			40	910018
									50	910019
									70	910020




	“≡”	P		T (°C)				L	Ø (mm)	 523495761
				min	max		EC	FDA		
	No-toxic/antistatic hose, per meter (TF0007)	69		-10	+60		X		30	910055
									40	910056
									50	910157
									70	910058
	No-toxic/antistatic hose roll, per meter (TF0007)	70		-10	+60		X		50 m	910055R
									50 m	910156R
									50 m	910157R
									50 m	910158R
	Silicone hose, per meter (TF0010)	71		-60	+200				40	910123
									50	910125
									70	910126
	Antistatic oil proof rubber hose (TF0008)	72							3 m	910059
									3 m	910060
									3 m	910061
									5 m	910063
									5 m	910064
									5 m	910065
	Steel hose, per meter (TF0009)	73							40	910095
									50	910096
									70	910097
									100	910098
	Antistatic and oil proof rubber sleeve for conductive polyurethane hose	74				X			40	910021
									50	910022




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Hose clamp	75		56-59 60-80 74-79 80-85 104-112	420027 420017 420021 420022 420020
	<i>AISI 304 stainless steel hose clamp</i>	76		50 100	420015 420008
	Painted hose support up to threephase models: K5S, K5P, K5P/56, KB5S, KB5P, KB5P/56	77			190118
	KF models painted hose support	78			190120
	KM, KMB models painted hose support	79			180161




	“≡”	P	Ex	⌘	L	Ø (mm)	523495761
	Chromed handgrip	80				40	920000
						50	920002
	Aluminium handgrip	81				40	920001
						50	920003
						70	920004
	<i>AISI 304 stainless steel handgrip</i>	82	X	X		40	920006
						50	920007




	“≡”	P	Ex	⚡	L	Ø (mm)	523495761
	Aluminium extension	83			1 m	40	920045
					1 m	50	920048
					2 m	40	920046
					2 m	50	920049
					3 m	40	920047
					3 m	50	920050
	Aluminium extension for ovens	84			1 m	40	920054
					1 m	50	920057
					2 m	40	920055
					2 m	50	920058
					3 m	40	920056
					3 m	50	920059




	“≡”	P	Ex	⚡	L	Ø (mm)	523495761
	1,1 meters long painted carbon steel scrapping nozzle	85	X		110 mm	40	920040
		86	X		120 mm	50	920041
		87	X		150 mm	70	920042
	1,2 meters long painted carbon steel scrapping nozzle	88	X		300 mm	50	920043
	Aluminium nozzle probe with handles * without handles	89				50*	920029
						70	920030
						100	920031
	Aluminium nozzle probe with handles and air inlet adjustment	90				50	920026
						70	920025
						100	920027
	Zinc finish fluidized bulk nozzle	91				50	920077
						70	920078




	“ ”	P	Ex	⚡	L	Ø (mm)	523495761
	Dust floor nozzle with rubber lips	92			300 mm	40	930026
					300 mm	50	930038
					400 mm	40	930032
					400 mm	50	930033
					500 mm	50	930035
					500 mm	70	930036
	Dust floor nozzle with bristle	93			300 mm	40	930027
					300 mm	50	930039
					400 mm	40	930028
					400 mm	50	930029
					500 mm	50	930030
					500 mm	70	930031
	AISI 304 stainless steel dust floor nozzle with silicone lips	94	X	X	300 mm	40	930091
					300 mm	50	930092
					400 mm	40	930088
					400 mm	50	930089
					500 mm	50	930090
	Nozzle for ovens with silicone lips	95			300 mm	40	930083
					300 mm	50	930084
					400 mm	40	930085
					400 mm	50	930086
	Fixed nozzle with rubber lips	96			600 mm	70	930080
					700 mm	70	930081




	“ ≡ ”	P	Ex	⌘	L	Ø (mm)	523495761
	Rubber lips kit for floor nozzle (10 pieces)	97			400 mm 500 mm		210050K 210051K
	Silicone lips kit for floor nozzle (10 pieces)	98		X	400 mm 500 mm		210054K 210055K
	Bristle strip kit for floor nozzle (10 pieces)	99			400 mm 500 mm		930095K 930096K
	Rubber kit for fixed nozzle (10 pieces)	100			700 mm		210053K




	“ ≡ ”	P	T (°C)					Ø (mm)	 523495761
			min	max					
	Oil proof, antistatic rubber cone to be fitted onto hose junctions pos. 15, 16 or hose fittings pos. 1, 2 or pos. 32, 33, 34, 35	101			X			40	930004
								50	930005
								70	930006
	Mark proof rubber cone to be fitted onto hose junctions pos. 15, 16 or hose fittings pos. 1, 2 or pos. 32, 33, 34, 35	102						40	930011
								50	930010
	Silicone cone to be fitted onto hose junction pos. 16 or hose fittings pos. 2 or pos. 33, 35	103				X		40	930007
								50	930008
	120 mm width antistatic, oil-proof black rubber suction nozzle to be fitted onto 50/40 mm diameters hose reducers pos. 8, 9	104			X			40	930016
	120 mm width antistatic, oil-proof black rubber suction nozzle to be fitted onto 50 mm diameter hose junctions pos. 15, 16 or hose fittings pos. 1, 2							50	
	120 mm width mark proof rubber suction nozzle to be fitted onto 50/40 mm diameters hose reducers pos. 8, 9	105						40	930018
	120 mm width mark proof rubber suction nozzle to be fitted onto 50 mm diameter hose junctions pos. 15, 16 or hose fittings pos. 1, 2							50	
	120 mm width silicone suction nozzle to be fitted onto 50/40 mm diameters hose reducer pos. 9	106				X		40	930017
	120 mm width silicone suction nozzle to be fitted onto 50 mm diameter hose junction pos. 16 or hose fitting pos. 2							50	




	“ ≡ ”	P	T (°C)					Ø (mm)	 523495761
			min	max		EC	FDA		
	Black color, rubber bent nozzle antistatic to be fitted onto reducers: pos. 36 (50/32 mm diameters) or pos. 37 (40/32 mm diameters)	107			X			32	930071
	Grey color, rubber bent nozzle to be fitted onto reducers: pos. 36 (50/32 mm diameters) or pos. 37 (40/32 mm diameters)	108						32	930073
	Silicone bent nozzle to be fitted onto reducer: pos. 36 (50/32 mm diameters) or pos. 37 (40/32 mm diameters)	109				X		32	930072
	Tapered rubber cone to be fitted onto 50/40 mm diameters hose reducers pos. 8, 9	110			X			40/20	930022
	Tapered rubber cone to be fitted onto the rubber sleeves diameter 50 mm pos. 52, 55, 58, 61, 65, 68, 74							50/20	




	“ ≡ ”	P	Ex	⚡	L	Ø (mm)	523495761
	External beaded zinc finish steel flat crevice	111			320 mm	40	920011
					320 mm	50	920012
					500 mm	40	920016
					500 mm	50	920017
					600 mm	70	920018
	Internal beaded zinc finish steel flat crevice	112			500 mm	40	920119
					500 mm	50	920120
	<i>AISI 304 stainless steel flat crevice</i>	113	X	X	500 mm	40	920019
					500 mm	50	920020
					600 mm	70	920028
	Zinc finish steel flat crevice with reducer	114			500 mm	40/30	920121
						50/30	920122
						50/40	920022
						70/50	920021
	Zinc finish steel horizontal bent flat crevice	115				50	920023
	Zinc finish steel vertical bent flat crevice	116				50	920024




	“ ≡ ”	P	Ex	⌘	L	Ø (mm)	523495761
	PVC flat crevice	117			500 mm	40 50	920032 920033
	Antistatic black rubber flat crevice, to be fitted onto reducers pos. 38, 39 or extensions pos. 40, 41	118	X		190 mm	44	920036
	Grey rubber flat crevice, to be fitted onto reducers pos. 38, 39 or extensions pos. 40, 41	119			190 mm	44	920035




	“≡”	P	Ex	⌘	L	Ø (mm)	523495761
	Nylon bristle brush with zinc finish steel coupling	120				80/40	930064
						100/50	930065
						100/70	930066
	Nylon bristle brush to be fixed onto the hose fittings 40 mm diameter pos. 1 or 2	121				100/40	930063
	Nylon bristle brush to be fixed onto the rubber sleeves 50 mm diameter pos. 52, 55, 58, 61, 65, 68, 74					100/50	
	Nylon + steel bristle brush to be fixed onto the hose fittings 40 mm diameter pos. 1 or 2	122	X			100/40	930068
	Nylon + steel bristle brush to be fixed onto the rubber sleeves 50 mm diameter pos. 52, 55, 58, 61, 65, 68, 74					100/50	
	Food grade bristle brush to be fixed onto the hose fittings 40 mm diameter pos. 1 or 2	123		X		100/40	930163
	Food grade bristle brush to be fixed onto the rubber sleeves 50 mm diameter pos. 52, 55, 58, 61, 65, 68, 74					100/50	




	“ ”	P	Ex	†	L	Ø (mm)	523495761
	Conductive nylon and steel bristle brush	124	X		220 mm	50	930135
	90° brush	125			220 mm	40	930043
					220 mm	50	930044
					300 mm	40	930042
					300 mm	50	930045
					400 mm	40	930041
					400 mm	50	930046
	30° brush	126			220 mm	40	930056
					220 mm	50	930049
					300 mm	40	930057
					300 mm	50	930050
					400 mm	40	930058
					400 mm	50	930051
	Bristle brush for pipe cleaning	127				100/50	930130
						200/50	930131




	“ ”	P	Ex	⚡	L	Ø (mm)	523495761
	Nylon bristle brush replacement	128				80 100	930100 930101
	Brush replacement	129			220 mm 300 mm 400 mm 500 mm		930105 930102 930103 930104
	Bristle brush for pipe cleaning replacement	130				100/50 200/50	930107 930108




	“ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel removable cyclonic deflector for liquids	131		460	950002
				560	950003
	AISI 304 stainless steel removable cyclonic deflector for liquids	132	X	460	950004
				560	950005
	Zinc finish steel grate for container bottom	133		460	120120
				560	120121
	AISI 304 stainless steel grate for container bottom	134	X	460	120130
				560	120131
	Brass draining valve for liquids emptying	135		3/4"	430061
				1"	430062
	AISI 304 stainless steel draining valve for liquids emptying	136	X	3/4"	430271
				1"	430272
	Zinc finish steel grate for container bottom and valve for liquids emptying	137		460	950006
				560	950007
	AISI 304 stainless steel grate for container bottom and valve for liquids emptying	138	X	460	950014
				560	950015




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Disposal bag vacuum balance system for dust collection directly into plastic bags	139		460 560	950053 950052
	Zinc finish steel grate for container bottom and vacuum balance system for dust collection directly into plastic bags	140		460 560	950009 950010
	<i>AISI 304 stainless steel</i> grate for container bottom and vacuum balance system for dust collection directly into plastic bags	141	X	460 560	950016 950017
	40 liters capacity zinc finish swarf basket	142		460 460	100122 100171




	“ ≡ ”	P	Ex	Ø (mm)	523495761
	Zinc finish steel basket for vacuuming performances improvement for models: KR1656 KR3056	143		560	100099
	AISI 304 stainless steel basket for vacuuming performances improvement for models: KR1656 KR3056	144	X	560	100107
	Zinc finish steel basket for vacuuming performances improvement for models: KR1046 KR1646	145		460	100108
	AISI 304 stainless steel basket for vacuuming performances improvement for models: KR1046 KR1646	146	X	460	100369
	Zinc finish steel basket for vacuuming performances improvement for models: KR5056	147		560	100110
	AISI 304 stainless steel basket for vacuuming performances improvement for models: KR5056	148	X	560	100109



	“ ”	P	Ex		Ø (mm)	523495761
	360 mm diameter - 50 liters capacity, blue RAL 5012 painted preseparator	149			50 50	950058
	460 mm diameter - 100 liters capacity, blue RAL 5012 painted preseparator	150				950059
	460 mm diameter - 100 liters capacity, blue RAL 5012 painted preseparator	151			70 70	950060
	560 mm diameter - 175 liters capacity, blue RAL 5012 painted preseparator	152				950061
	560 mm diameter - 96 liters capacity, blue RAL 5012 painted preseparator with 300 mm diameter manually operated butterfly valve discharge	153			100 100	950429




	“ ”	P	Ex		Ø (mm)	523495761
	360 mm diameter - 50 liters capacity AISI 304 stainless steel preseparator	154			40 40	950079
	360 mm diameter - 50 liters capacity AISI 304 stainless steel preseparator	155			50 50	950069
	460 mm diameter - 100 liters capacity AISI 304 stainless steel preseparator	156				950070
	460 mm diameter - 100 liters capacity AISI 304 stainless steel preseparator	157			70 70	950278
	560 mm diameter - 175 liters capacity AISI 304 stainless steel preseparator	158				950068




	“ ”	P	Ex	✂	Ø (mm)	523495761
	360 mm diameter - 50 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	159		X	50 50	950386
	460 mm diameter - 100 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	160		X		950387
	460 mm diameter - 100 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	161		X	70 70	950284
	560 mm diameter - 175 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	162		X		950388


* Pharma finish: cleaned welding and inner mirror polished




	“ ≡ ”	P	Ex	✂	Ø (mm)	523495761
	360 mm diameter - 50 liters capacity, blue RAL 5012 painted preseparator for incandescent materials	163			50 50	950536
	460 mm diameter - 100 liters capacity, blue RAL 5012 painted preseparator for incandescent materials	164			50 50	950066
		165			70 70	950067
	360 mm diameter - 50 liters capacity AISI 304 stainless steel preseparator for incandescent materials	166			50 50	950537
	460 mm diameter - 100 liters capacity AISI 304 stainless steel preseparator for incandescent materials	167			50 50	950281
		168			70 70	950392



	“≡”	P	Ex	🔪	Ø (mm)	523495761
	600 liters capacity tilting , yellow RAL 1028 painted preseparator	169			100 100	950065
	600 liters capacity tilting , yellow RAL 1028 painted preseparator for ATEX applications	170	X		100 100	950065.022




	“ ”	P	Ex		Ø (mm)	523495761
	460 mm diameter - 100 liters capacity cyclonic blue RAL 5012 painted preseparator	171			70 70	950489
	460 mm diameter - 100 liters capacity cyclonic blue RAL 5012 painted preseparator	172			100 100	950257
	560 mm diameter - 175 liters capacity cyclonic blue RAL 5012 painted preseparator	173			100 100	950062
	460 mm diameter - 100 liters capacity AISI 304 stainless steel cyclonic preseparator	174			100 100	950256
	560 mm diameter - 175 liters capacity AISI 304 stainless steel cyclonic preseparator	175			100 100	950258




	“ ≡ ”	P	Ex	✂	Ø (mm)	523495761
	460 mm diameter - 100 liters capacity AISI 316L stainless steel cyclonic preseparator with Pharma finish*, with 2" clamp	176		X	50 50	950404
	460 mm diameter - 100 liters capacity AISI 316L stainless steel cyclonic preseparator with Pharma finish*, with 3" clamp	177		X	70 70	950283
	560 mm diameter - 175 liters capacity AISI 316L stainless steel cyclonic preseparator with Pharma finish*	178		X	100 100	950405

* Pharma finish: cleaned welding and inner mirror polished + clamps




	“ ≡ ”	P	Ex	✂	Ø (mm)	523495761
	280 mm diameter - 25 liters capacity cyclonic preseparator with parts in contact with material in AISI 316L stainless steel with Pharma finish*, with 3" clamp, fitted with:	179		X	3"	950075
	T001 - material inlet hose fittings				3" / 40	160068
					3" / 50	160071
					3" / 70	160072
	T002 - connection to vacuum unit elbow hose fittings				3" / 40	450044
					3" / 50	450045
					3" / 70	450063
	360 mm diameter - 50 liters capacity cyclonic preseparator with parts in contact with material in AISI 316L stainless steel with Pharma finish*, with 4" clamp, fitted with:	180		X	4"	950081
	T001 - material inlet hose fittings				4" / 40	160455
					4" / 50	160456
					4" / 70	160294
					4" / 100	160139
	T002 - connection to vacuum unit elbow hose fittings				4" / 40	450066
					4" / 50	450067
					4" / 70	450065
					4" / 100	450068


* Pharma finish: cleaned welding and inner mirror polished + clamps




	“ ”	P	Ex	✂	Ø (mm)	523495761
 	460 mm diameter cyclonic blue RAL 5012 painted lid	181			100 100	950020
	560 mm diameter cyclonic blue RAL 5012 painted lid				100 100	950012
	460 mm diameter cyclonic AISI 304 stainless steel lid	182	X		100 100	950021
	560 mm diameter cyclonic AISI 304 stainless steel lid		X		100 100	950018
	600 mm diameter painted drum adapter for 560 mm diameter cyclonic lid	183				950312



		P			 (mm)	 523495761
 	280 mm diameter cyclonic blue RAL 5012 painted head	184			100 100	950050
	360 mm diameter blue RAL 5012 painted lid with zinc finish quick connection	185			50 50	950437
					70 70	950438
	460 mm diameter blue RAL 5012 painted lid with zinc finish quick connection				50 50	950439
					70 70	950440
					100 100	950441
	560 mm diameter blue RAL 5012 painted lid with zinc finish quick connection				70 70	950442
					100 100	950443
	590 mm diameter blue RAL 5012 painted lid for 200 liters drum	186			70 70	950013
	560 mm diameter blue RAL 5012 painted lid with overfilling float valve for liquids	187			50 50	950078




	“ ”	P	Ex		Ø (mm)	523495761
	25 liters capacity blue RAL 5012 painted dust bin	188			360	100194
	50 liters capacity blue RAL 5012 painted dust bin				460	100200
	90 liters capacity blue RAL 5012 painted dust bin				460	100204
	120 liters capacity blue RAL 5012 painted dust bin				460	100221
	175 liters capacity blue RAL 5012 painted dust bin				560	100208
	175 liters capacity blue RAL 5012 painted reinforced dust bin				560	100219




	“ ”	P	Ex	✂	Ø (mm)	523495761
	25 liters capacity AISI 304 stainless steel dust bin	189	X		360	100195
	50 liters capacity AISI 304 stainless steel dust bin				460	100201
	90 liters capacity AISI 304 stainless steel dust bin				460	100205
	120 liters capacity AISI 304 stainless steel dust bin				460	100258
	175 liters capacity AISI 304 stainless steel dust bin				560	100209
	175 liters capacity AISI 304 s. s. reinforced dust bin				560	100222
	50 liters capacity AISI 316L stainless steel dust bin Pharma finish ¹⁾	190	X	X	460	100202
	90 liters capacity AISI 316L stainless steel dust bin Pharma finish ¹⁾				460	100203

* Pharma finish: cleaned welding and inner mirror polished



	“ ”	P	Ex		Ø (mm)	523495761
	25 liters capacity painted dust bin	191			360	100240
	50 liters capacity painted dust bin				460	100242
	25 liters capacity AISI 304 stainless steel dust bin	192	X		360	100241
	50 liters capacity AISI 304 stainless steel dust bin				460	100243
	25 liters capacity AISI 304 stainless steel dust bin Easy cleaning finish	193	X		360	100244
	25 liters capacity AISI 316L stainless steel dust bin Pharma finish ¹⁾	194	X	X	360	100249
	50 liters capacity AISI 316L stainless steel dust bin Pharma finish ¹⁾				460	100248

* Pharma finish: cleaned welding and inner mirror polished



	“ ”	P	Ex	✂	Ø (mm)	523495761
	60 liters capacity blue RAL 5018 painted dust bin compatible	195			460	109001
	100 liters capacity blue RAL 5018 painted dust bin compatible				460	109000
	175 liters capacity blue RAL 5018 painted dust bin compatible				560	109002
	60 liters capacity AISI 304 stainless steel dust bin compatible	196	X		460	109003
	100 liters capacity AISI 304 stainless steel dust bin compatible		X		460	109005
	175 liters capacity AISI 304 stainless steel dust bin compatible				560	109006



	“ ≡ ”	P	Ex	⌘ (mm)	523495761
	Bracket for easy dust bin emptying (maximum load 200 kg)	197		460	950044
				560	950045
	Ring for easy dust bin emptying	198		460	950042
				560	950043

Example:



	“ ”	REF	P	Ex	Ø (mm)	523495761
	1 kW - 230 V - 50 60 Hz twin stage by-pass single-phase vacuum unit		199			600001
	1,1 kW - 230 V - 50 60 Hz twin stage by-pass single-phase vacuum unit		200			600004
	1 kW - 120 V - 50 60 Hz twin stage by-pass single-phase vacuum unit		201			600002
	1,1 kW - 230 V - 50 60 Hz brushless single-phase vacuum unit		202			600006
	Gasket for single-phase vacuum unit		203			210010
	Brushes for single-phase vacuum unit	600001 600005 600002 600004	204			600011 600012 600013 600015

	“≡”	P	CAT	EC	FDA	Ex	FOLDERS	Ø (mm)	523495761
	Polyester star filter (SFT001)	205	L	X			8	360	209000
							16	460	200004
							16	560	200010
							20	780	200016
							30	780	200016M
	Antistatic polyester star filter (SFT002)	206	L	X		X	8	360	209021
							16	460	200012
							16	560	200013
							20	780	200014
	Polyurethane injected polyester star filter (SFT003)	207	M				8	360	209071
							16	360	200051
							16	460	200005
							16	560	200019
							20	780	200020
	Antistatic polyester star filter (SFT004)	208	M	X		X	30	780	200020M
							8	360	209041
							16	360	200053
							16	460	200006
							16	560	200022
	PTFE coated polyester star filter (SFT005)	209	M	X	X		20	780	200023
							30	780	200023M
							8	360	209101
							16	460	200008
	PTFE coated antistatic polyester star filter (SFT006)	210	M	X	X	X	16	560	200025
							20	780	200026
							8	360	209131
							12	360	209131M
							16	460	200009
	Nomex star filter (SFT007)	211					16	560	200028
							16	780	200032
							20	780	200031
							8	360	209081
	Polypropylene star filter (SFT008)	212	M				16	460	200007
							16	560	200034
							20	780	200035
							20	780	200036
							30	780	200036M

	“≡”	P	CAT	 EC  FDA		 (mm)	 523495761	
 12 folders	12 folders polyester star filter (SFT001)	213	L	X		460	209001	
	12 folders antistatic polyester star filter (SFT002)	214	L	X		X	460	209022
	12 folders polyurethane injected polyester star filter (SFT003)	215	M				460	209072
	12 folders antistatic polyester star filter (SFT004)	216	M	X		X	460	209042
	12 folders PTFE coated polyester star filter (SFT005)	217	M	X	X		460	209102
	12 folders PTFE coated antistatic polyester star filter (SFT006)	218	M	X	X	X	460	209132
	12 folders Nomex star filter (SFT007)	219					460	209082
	12 folders polypropylene star filter (SFT008)	220	M				460	209168

	“ ”	P	CAT	EC	FDA	Ex	Ø (mm)	523495761
	Polyester bag filter (SFT001)	221	L	X			220	209010
							280	209011
							360	209012
							460	209013
							560	209014
	Antistatic polyester bag filter (SFT002)	222	L	X		X	220	209030
							280	209031
							360	209032
							460	209033
							560	209034
	Polyurethane injected polyester bag filter (SFT003)	223	M				220	209060
							280	209061
							360	209062
							460	209063
							560	209064
	Antistatic polyester bag filter (SFT004)	224	M	X		X	220	209050
							280	209051
							360	209052
							460	209053
							560	209054
	PTFE bag filter (SFT005)	225	M	X	X		280	200061
							360	209111
							460	200075
							560	200076
	PTFE antistatic bag filter (SFT006)	226	M	X	X	X	220	200063
							280	200064
							360	209192
							460	200066
							560	200067

	“ ≡ ”	P	CAT	EC	FDA	Ex	Ø (mm)	523495761
	Paper bag filter (10 pieces)	227					280 360 460 560	200189K 200190K 200191K 200192K
	Nylon bag filters for models:	228					460 560 560	209121 209122 209159
	KR1046 - KR1646							
	KR1656 - KR2256							
	KR3056 - KR4056 - KR5056							
	Polyester bag filters for models:	229					460 560 560	209124 209125 209129
	KR1046 - KR1646							
KR1656 - KR2256								
KR3056 - KR4056 - KR5056								
	Nylon bag filter for KOIL series:	230					360 460	209175 209174
	300 micron							
	200 micron						360 460	209180 209181

	“≡”	P	✂	Ex	L	Ø (mm)	523495761
	Zinc finish filter ring	231				280	130002
						360	130003
						460	130004
						560	130005
						780	130006
	<i>AISI 304 stainless steel filter ring</i>	232		X		280	130010
						360	130011
						460	130012
						560	130013
						780	130014
	Zinc finish filter ring, for installation with upstream absolute filter cartridge	233				460	130042
	<i>AISI 304 stainless steel filter ring, for installation with upstream absolute filter cartridge</i>	234		X		460	130043



		P			L	Ø (mm)	 523495761
	Rubber gasket for filter ring	235				280	210014
						360	210015
						460	210016
						560	210017
						780	210018
	Silicone gasket for filter ring	236	X			280	210020
						360	210021
						460	210022
						560	210023
						780	210024
	Oil-proof rubber gasket for filter ring	237				360	210044
						460	210045
						560	210046
	Bin coupling gasket per meter for:	238					
	• 360 and 460 mm diameter filtering chamber					210007	
	• 560 mm diameter filtering chamber	210008					
	Bin coupling gasket per unit for:	239					
	• 360 mm diameter filtering chamber					210114	
	• 460 mm diameter filtering chamber					210115	
• 560 mm diameter filtering chamber	210116						




	“ ”	P	Ex	Ø (mm)	523495761
	Filter clamp	240		220	420001
				280	420002
				360	420003
				460	420004
				560	420005
				780	420006
	Stainless steel filter clamp	241	X	220	420110
				360	420112
				460	420113
				560	420114

		P	CAT	 EC FDA		Ø x L (mm)	FCD ¹⁾ NC ²⁾	 523495761	
	Antistatic polyester cartridge filter (per unit)	242	M			X	150 x 500	460 3	200770
							225 x 500	560 3 780 4	200772
							225 x 1.000	780 4	200774
	Antistatic PTFE cartridge filter (per unit)	243	M			X	150 x 500	460 3	200771
							225 x 500	560 3 780 4	200773
							225 x 1.000	780 4	200778
	Polyester - oil & water repellent cartridge filter (per unit)	244					140 x 150	460 3	200769


	“ ≡ ”	P	CAT	⚡	⊕ x	Ø (mm)	523495761
	Upstream absolute filter cartridge for models: KH0528, KH1028, KV0528, KV1028	245	H14			280	200094
	Upstream absolute filter cartridge for models: KM1, KC36, KF10, KF16, KH1036, KH1636, KH2236, KH3036, KV1036, KV1636, KV2236	246	H14			360	200093
	Upstream absolute filter cartridge for models: KM2, KM3, KMB2, KMB3, K2, K3, KB2, KB3, KBB2, KBB3, KF22, KF30, KH2246, KH3046, KH3046P, KV2246, KV3046, KV3046P	247	H14			460	200090
	Upstream absolute filter cartridge for models: K4S, K5S, K4P, K5P, K4P/56, K5P/56, KB4S, KB5S, KB4P, KB5P, KB4P/56, KB5P/56, KB6, KB6P, KC, KC2/46, KC2, KT856P, KT856P.084, KF30P	248	H14			460	200091
	Upstream absolute filter cartridge for models (inside the filtering chamber): KB7, KB7S, KB7P, K7, K9, K11S, K11P, K13, K15, K18,	249	H14			560	200092
	Upstream absolute filter cartridge for models (outside the filtering chamber): K7, K9, K11S, K11P, K13, K15, K18, K7/78, K9/78, K11P/78, K13/78, K15/78, K18/78,	250	H14				200095
	Upstream absolute filter cartridges for models (outside the filtering chamber): K20S, K20P, K25S, K25P	251	H14				200295
	Downstream absolute filter cartridge for models: KF10, KF16	252	H14				200096
	Downstream absolute filter cartridge for models: KF22, KF30, KF30P	253	H14				200097

	“ ≡ ”	P	Ex	Ø (mm)	523495761
	88 mm long spacer for upstream absolute filter cartridge fitting suitable for the following models: KM2, KM3, KMB2, KMB3	254		22	140029
	73 mm long spacer for upstream absolute filter cartridge fitting suitable for the following models: K4S, K4P, K5S, K5P, KB4S, KB4P, KB5S, KB5P, KT856P, KT856P.084			22	140030
	Sealing gasket for upstream absolute filter cartridge	255		3/4"	210034
	Adapter for upstream absolute filter cartridge ref. 200090	256		18 22	140075
	Head filter shaker axle guiding spring	257			420045

	“ ≡ ”	P	CAT	Ø	 523495761
	Upstream absolute filter kit (M dust class primary filter is advised), for models: KM2, KM3, KMB2, KMB3	258	H14	460	950130
	Upstream absolute filter kit (M dust class primary filter is advised), for models: K2, K3, KB2, KB3, KC, KC2/46 KBB2, KBB3 KF22, KF30, KF30P, KH2246, KH3046, KH3046P, KV2246, KV3046, KV3046P	259	H14	460	950132
	Upstream absolute filter kit (M dust class primary filter is advised), for models: K4S, K4P, K5S, K5P, KB4S, KB4P, KB5S, KB5P, KT856P, KT856P.084	260	H14	460	950131
	Upstream absolute filter kit (M dust class primary filter is advised), painted version, for models: KH0528, KH1028, KV0528, KV1028	261	H14	280	950254
	Upstream absolute filter kit (M dust class primary filter is advised), AISI304 stainless steel version, for models: KH0528, KH1028, KV0528, KV1028	262	H14	280	950223
	Upstream absolute filter kit (M dust class primary filter is advised), for models: KM1, KC36 KF10, KF16, KH1036, KH1636, KV1036, KV1636	263	H14	360	950128



	“≡”	P	⊗	L	Ø (mm)	523495761
	Anodized aluminium hinged vacuum dust extraction arm with hood - white Polypropylene joints and flanges supplied with painted holder for models KF10 & KF16	264		1.125 mm	50/200	950101
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF10 & KF16			1.125 mm	50/200	950102
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with painted holder for models KF10 & KF16	265	X	1.125 mm	50/200	950313
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF10 & KF16		X	1.125 mm	50/200	950543
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with painted holder for models KF30, KF30P	266		1.620 mm	75/200	950099
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF30, KF30P			1.620 mm	75/200	950100
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with painted holder for models KF30, KF30P	267	X	1.290 mm	75/200	950424
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF30, KF30P		X	1.290 mm	75/200	950097



	“ ≡ ”	P	Ex	L	Ø (mm)	523495761
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with painted holder for models K4P/56 & K5P/56	268		1.620 mm	75/200	950545
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models K4P/56 & K5P/56			1.620 mm	75/200	950544
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with painted holder for models K4P/56 & K5P/56	269	X	1.290 mm	75/200	950546
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models K4P/56 & K5P/56		X	1.290 mm	75/200	950119



	“ ≡ ”	P	Ex	L	Ø (mm)	 523495761
	Set of 4 endless bags, thickness 64 µm	270		20 m	360	950124
	Set of 4 antistatic endless bags, thickness 64 µm	271	X	20 m	360	950125
	Set of 10 paper bags	272				200195

INDEX CODE

100099	33	130042	54	200097	58	209159	53
100107	33	130043	54	200189K	53	209168	51
100108	33	140029	59	200190K	53	209174	53
100109	33	140030	59	200191K	53	209175	53
100110	33	140075	59	200295	58	209180	53
100122	32	160442	12	200769	57	209181	53
100171	32	160484	12	200770	57	209192	52
100194	44	180161	18	200771	57	210007	55
100195	45	190118	18	200772	57	210008	55
100200	44	190120	18	200773	57	210014	55
100201	45	200004	50	200774	57	210015	55
100202	45	200005	50	200778	57	210016	55
100203	45	200006	50	209000	50	210017	55
100204	44	200007	50	209001	51	210018	55
100205	45	200008	50	209010	52	210020	55
100208	44	200009	50	209011	52	210021	55
100209	45	200010	50	209012	52	210022	55
100219	44	200012	50	209013	52	210023	55
100221	44	200013	50	209014	52	210024	55
100222	45	200014	50	209021	50	210034	59
100240	46	200016	50	209022	51	210044	55
100241	46	200016M	50	209030	52	210045	55
100242	46	200019	50	209031	52	210046	55
100243	46	200020	50	209032	52	210050K	23
100244	46	200020M	50	209033	52	210051K	23
100248	46	200022	50	209034	52	210053K	23
100249	46	200023	50	209041	50	210054K	23
100258	45	200023M	50	209042	51	210055K	23
100369	33	200025	50	209050	52	210114	55
109000	47	200026	50	209051	52	210115	55
109001	47	200028	50	209052	52	210116	55
109002	47	200031	50	209053	52	420001	56
109003	47	200032	50	209054	52	420002	56
109005	47	200033	50	209060	52	420003	56
109006	47	200034	50	209061	52	420004	56
120120	31	200035	50	209062	52	420005	56
120121	31	200036	50	209063	52	420006	56
120130	31	200036M	50	209064	52	420008	18
120131	31	200051	50	209071	50	420017	18
120277	12	200053	50	209072	51	420020	18
120278	12	200061	52	209081	50	420021	18
120279	12	200063	52	209082	51	420022	18
120280	12	200064	52	209101	50	420027	18
120283	12	200066	52	209102	51	420045	59
130002	54	200067	52	209111	52	420110	56
130003	54	200075	52	209121	53	420112	56
130004	54	200076	52	209122	53	420113	56
130005	54	200090	58	209124	53	420114	56
130006	54	200091	58	209125	53	430061	31
130010	54	200092	58	209129	53	430062	31
130011	54	200093	58	209131	50	430271	31
130012	54	200094	58	209131M	50	430272	31
130013	54	200095	58	209132	51	900003	6
130014	54	200096	58	209134	50	900004	6

INDEX CODE

900005	6	900088	9	900210	9	910056	17
900007	6	900089	9	900211	9	910058	17
900008	6	900090	8	900212	9	910059	17
900010	6	900095	9	900213	9	910060	17
900011	6	900096	9	900214	9	910061	17
900012	6	900097	8	900215	7	910063	17
900013	6	900098	9	900224	8	910064	17
900014	6	900099	9	900238	11	910065	17
900018	6	900100	9	900264	8	910072	16
900019	6	900101	9	900271	6	910072R	16
900020	6	900102	9	900273	6	910073	16
900022	6	900103	8	900274	6	910073R	16
900023	6	900104	8	900275	6	910074	16
900025	6	900105	8	900291	8	910074R	16
900026	6	900106	8	900294	9	910082	15
900027	6	900107	9	900304	6	910082R	15
900028	6	900108	9	910007	14	910083	15
900029	6	900109	9	910007	14	910083R	15
900040	5	900110	9	910008	14	910084	15
900041	5	900111	9	910008	14	910084R	15
900042	5	900112	10	910015	15	910085	15
900043	5	900113	10	910015	16	910089	16
900044	5	900114	10	910016	15	910089R	16
900045	5	900115	10	910016	16	910090	16
900046	5	900116	10	910017	15	910090R	16
900047	5	900117	10	910017	16	910091	16
900048	5	900121	5	910018	15	910091R	16
900049	5	900122	13	910018	16	910095	17
900050	5	900123	10	910019	15	910096	17
900051	5	900124	13	910019	16	910097	17
900052	5	900126	13	910020	15	910098	17
900053	5	900128	13	910020	16	910123	17
900054	5	900129	13	910021	17	910125	17
900055	5	900130	13	910022	17	910126	17
900056	5	900135	11	910025	15	910156R	17
900057	5	900147	10	910026	15	910157	17
900058	5	900148	10	910027	15	910157R	17
900059	5	900149	10	910042	14	910158R	17
900061	6	900150	10	910042R	14	910192	16
900062	7	900151	6	910043	14	910192R	16
900063	7	900167	11	910043R	14	910252R	15
900064	7	900168	11	910044	14	910285R	15
900065	7	900174	11	910044R	14	920000	19
900067	7	900181	11	910045	14	920001	19
900068	7	900182	11	910045R	14	920002	19
900069	7	900186	6	910049	15	920003	19
900070	7	900188	7	910049R	15	920004	19
900073	5	900190	5	910050	15	920006	19
900074	5	900201	8	910050R	15	920007	19
900076	5	900202	8	910051	15	920011	26
900081	6	900203	8	910051R	15	920012	26
900084	8	900207	8	910052	15	920016	26
900085	9	900208	8	910055	17	920017	26
900086	8	900209	8	910055R	17	920018	26

INDEX CODE

920019	26	930030	22	930163	28	950257	39
920020	26	930031	22	950002	31	950258	39
920021	26	930032	22	950003	31	950278	35
920022	26	930033	22	950004	31	950281	37
920023	26	930035	22	950005	31	950283	40
920024	26	930036	22	950006	31	950284	36
920025	21	930038	22	950007	31	950312	42
920026	21	930039	22	950009	32	950313	61
920027	21	930041	29	950010	32	950386	36
920028	26	930042	29	950012	42	950387	36
920029	21	930043	29	950013	43	950388	36
920030	21	930044	29	950014	31	950392	37
920031	21	930045	29	950015	31	950404	40
920032	27	930046	29	950016	32	950405	40
920033	27	930047	29	950017	32	950424	61
920035	27	930049	29	950018	42	950429	34
920036	27	930050	29	950020	42	950437	43
920040	21	930051	29	950021	42	950438	43
920041	21	930052	29	950042	48	950439	43
920042	21	930056	29	950043	48	950440	43
920043	21	930057	29	950044	48	950441	43
920045	20	930058	29	950045	48	950442	43
920046	20	930063	28	950050	43	950443	43
920047	20	930064	28	950052	32	950489	39
920048	20	930065	28	950053	32	950536	37
920049	20	930066	28	950058	34	950537	37
920050	20	930068	28	950059	34	950543	61
920054	20	930071	25	950060	34	950544	62
920055	20	930072	25	950061	34	950545	62
920056	20	930073	25	950062	39	950546	62
920057	20	930080	22	950065	38		
920058	20	930081	22	950065.022	38		
920059	20	930083	22	950066	37		
920077	21	930084	22	950067	37		
920078	21	930085	22	950068	35		
920119	26	930086	22	950069	35		
920120	26	930088	22	950070	35		
920121	26	930089	22	950075	41		
920122	26	930090	22	950078	43		
930004	24	930091	22	950079	35		
930005	24	930092	22	950081	41		
930006	24	930095K	23	950097	61		
930007	24	930096K	23	950099	61		
930008	24	930100	30	950100	61		
930010	24	930101	30	950101	61		
930011	24	930102	30	950102	61		
930016	24	930103	30	950119	62		
930017	24	930104	30	950128	60		
930018	24	930105	30	950130	60		
930022	25	930107	30	950131	60		
930026	22	930108	30	950132	60		
930027	22	930130	29	950223	60		
930028	22	930131	29	950254	60		
930029	22	930135	29	950256	39		



info@kevac.eu
www.kevac.eu